WINTER CATALOG 2025 ESSENTIALS

HUNDREDS OF UNIQUE TOOLS.

EFFICIENT HEATING SOLUTIONS

Find your nearest American Producers by scanning the QR!

GEAR UP FOR GREATNESS.



Heatstar HS210KT 210,000 BTU Kerosene Heater (.770683)



Heatstar HS175KT 175,000 BTU Kerosene Heater (.770662)



Heatstar HS75KT 75,000 BTU Kerosene Heater (.770660)

Heatstar HS50K 50,000 BTU Kerosene Heater (.770678)

Valid January Through March 2025


AMERICAN PRODUCERS SUPPLY



TABLE OF CONTENTS

3M Tapes & Adhesives	1
Abrasives	2-3
Concrete Supplies	4-5
Construction Supplies	6-9
Fall Protection	10-11
Hydraulic Tools	12-13
Janitorial / MRO Supplies	14-16
Jobsite Storage	17
Ladders	18
Lifting & Rigging	19-20
Lighting / Electrical	21-22
Pipe Working Tools	23
Power Tools	24-29
Safety & PPE	30-33
Tools - Cutting	34-36
Tools - Electrician	37-38
Tools - Hand	39-42
Other Services	43
Closeouts	44

*** Prices effective through 03/31/2025. Subject to availability. Prices subject to change without notice. Freight charges may apply. American Producers Supply is not responsible for errors or omissions. ***




Find your tool.
Unlock your potential.

At American Producers Supply, we're dedicated to helping you discover the perfect tools for every job. Our comprehensive range of tools ensure you can tackle any project with confidence. From precision instruments to heavy-duty equipment, each item is carefully selected to meet your highest standards.

Explore our catalog today and empower yourself with the tools you need to succeed.

All items in catalog are while supplies last!

Visit our website for deals on construction supplies, power tools, abrasives, safety / PPE, and more!



www.americanproducers.com

AUTHORIZED SERVICE CENTER FOR

Milwaukee · CHAMPION CUTTING TOOL CORP · DEWALT · Husqvarna Construction Products · GENERAC · FALLTECH Fall Protection. Precision Engineered.

CM · ENERPAC · BOSCH · RIDGID See Snake & Pipe Threading Tools · metabo · STIHL

SENCO · HONDA · EQUALIZER INTERNATIONAL · SIMPLEX · Chicago Pneumatic · metabo HPT

2” x 60” Masking Tape

2307 (.69340)



- General purpose tape for woodworking
- Rubber adhesive offers broad tack and moderate adhesion
- Crepe-paper backing conforms over irregular surfaces, contours, and around corners

Clear Box Sealing Tape

371 (.52210)



- 2” x 110 yards
- Industrial packaging tape for medium-duty applications on a wide range of materials
- High edge tear and split resistance ideal for general industrial applications

All Purpose Silver Duct Tape

DT8 (.881123)



- 48mm x 54.8mm
- 8 mils thick, 2” wide, 60 yards

Heavy Duty Duct Tape

DT11 (.886323)



- 48mm x 54.8mm
- 11 mils thick, 2” wide, 60 yards
- Available in black or silver

Super Duty Black Duct Tape

DT17 (.906512)



- 48mm x 54.8mm
- 17 mils thick, 2” wide, 35 yards

Super 77 Spray Adhesive Low VOC

97956 (.834731)



- 16.75 oz.
- Versatile adhesive that bonds a wide range of lightweight materials
- Provides professional, industrial strength for demanding applications
- Offers a fast, aggressive tack for a quick bond that reduces set time
- Bonds paper, cardboard, fabric, insulation, plastic, metal, wood and more

**** Not for sae or use in CA and other states. Consult local air quality rules before use ****

Heavy Duty Duct Tape

3939 (.712999)



- For demanding duct tape applications
- High tack adhesive for good quick stick to many surfaces
- Conformable and moisture resistant backing that tears easily by hand
- Tested according to UL 723 and ASTM E84 9 mil., 48 mm x 54.8 m. 24 rolls per case

Multi-Purpose 27 Spray Adhesive

27 (.761475)



- 16 oz.
- Provides professional, industrial strength for demanding applications at an economical price
- Versatile adhesive that bonds a wide range of lightweight materials
- Offers a fast, aggressive tack for a quick bond that reduces set time
- Bonds paper, cardboard, fabric, insulation, plastic, metal, wood and more

33+ Black Electrical Tape

06132-BA-10 (.10944)



- Splice and insulate wires up to 600V
- Apply in temperatures as low as 32°F
- Handles temperatures from 0°F to 220°F

3M

Cubitron II T27 Depression Center Grinding Wheel



Catalog/Part #	Diameter	Max RPM	Qty/Box
90002 (.810305)	4½" x ¼" x 5/8"	13,300	10
90005 (.810348)	6" x ¼" x 5/8"	10,200	10

Depressed Center Grinding Wheels



Catalog/Part #	Diameter	RPM	Qty/Box
87453 (.940534)	4½" x ¼" x 7/8"	13,300	10
87450 (.940543)	6" x ¼" x 7/8"	10,200	10
87451 (.940549)	7" x ¼" x 7/8"	8,500	10

Cubitron II T1 Cut-Off Wheels



Catalog/Part #	Diameter	RPM
66525 (.810631)	4½" x ¼" x 7/8"	13,300
66527 (.810360)	6" x ¼" x 7/8"	10,200



Silver Cut-Off Wheel



Catalog/Part #	Diameter	RPM	Qty/Box
87465 (.940553)	4½" x .045" x ⅞"	13,300	25
87469 (.940555)	6" x .045" x ⅞"	10,200	25

UNITED ABRASIVES SAIT

A60S General Purpose Cut-Off Wheel



- Special aluminium oxide grain
- Extremely fast burr-free cutting with long life
- Exceptional performance

Catalog/Part #	Diameter	Arbor	Type	RPM
22021 (.69356)	4½"	7/8"	27	13,300
22047 (.137392)	6"	7/8"	27	10,200
23101 (.100008)	4½"	7/8"	1	13,300
23106 (.130590)	6"	7/8"	1	10,200

14" Ductile Portable Saw Cut-Off Wheel



- For extra hard metals, hydraulic hose and PVC pipe
- Combination aluminium oxide and silicon carbide formulation

Catalog/Part #	Diameter	Arbor	Type	RPM
23458 (.325011)	14"	20MM	41	5,460

UNITED ABRASIVES SAIT

A24R Pipeline Grinding General Purpose Wheel



- Aluminium oxide grain
- Designed and manufactured to perform both cutting and light grinding

Catalog/Part #	Diameter	Arbor	Grit	RPM
22030 (.54884)	4½”	7/8”	60	13,300
22042 (.130589)	6”	7/8”	60	10,200
22065 (.324803)	9”	7/8”	60	6,600

A24R Long Life Grinding Wheel



- Aluminium oxide grain
- Longer life for fewer wheel changes
- Type 27

Catalog/Part #	Diameter	Arbor	Max RPM
20063 (.9056)	4½”	7/8”	13,300
20079 (.110075)	6”	7/8”	10,200
20090 (.55634)	9”	7/8”	6,600

14” Iron Worker General Purpose Cut-Off Wheel



- Aluminium oxide grain
- Great for use on angle iron, channel iron, heavy rebar, and other metals

Catalog/Part #	Diameter	Arbor	RPM
24051 (.138991)	14”	1”	4,400

.A46N - Aluminum .045” Cutting Wheels



- Aluminium oxide grain
- Soft bond for aggressive cutting without loading

Catalog/Part #	Diameter	Arbor	Type	RPM
22345 (.137648)	4½”	7/8”	27	13,300
22360 (.776195)	6”	7/8”	27	10,200



MARSHALLTOWN U.S.A.

3.5 Gallon Industrial Concrete Sprayer

NEW PRODUCT

33109 (.1108831)




- Sprays up to 35% solids
- Ideal for use with concrete sealers, curing agents, form oils, and more
- Fully equipped with high-quality Viton™ seals and gaskets for durability and superior resistance to solvents and chemicals.

SPECIAL ORDER ONLY!

Kneeler Board

16451 (.888537)



- Comes with extra-large handle grips
- The padded area is 19 x 13½-inch
- Black foam pad fastened to a polypropylene tray

60” Aluminum Econo Crete w/ Wood Handle

24847 (.808927)



- Aluminum blade material
- Pick to have a hook or no hook design
- Made in the USA with Global Materials

White Lightning™ Series Hand Float

32614 (.1064114) **12”**
32615 (.1064115) **14”**
32616 (.1064116) **16”**
32617 (.1064117) **18”**
32618 (.1064118) **20”**



- White Lightning™ technology floats faster and easier for smoother, professional results
- Prepares surface for troweling
- Low friction polymer blade is lightweight, durable, and impact-resistant for long wear

SPECIAL ORDER ONLY!



DITEQ DIAMOND TOOLS & EQUIPMENT

A24R Pipeline Grinding General Purpose Wheel



D11160 (.1079887) **12”**
D11161 (.1001199) **14”**
D11162 (.1079888) **16”**

- Contractor General Purpose Blade
- Combo Stone / Brick / Concrete
- Use on High Speed / Masonry / Low HP Flat Saws

SPECIAL ORDER ONLY!

General Purpose Diamond Blade

D70012 (.807218) **12”**
D70016 (.807215) **14”**



- For cutting, masonry and stone, asphalt and concrete
- Wet or dry use

14” General Purpose Diamond Blade

D70094-1 (.836140)



(Wet/Dry) Size: 14” x .125” x 1”-20mm
Universal: Segmented - Premium

Use for fast cutting at low initial cost on a wide variety of materials including: concrete, stone, masonry and more.

C-34AX Series Arix Dry Concrete Core Bits



- Drills quazite underground enclosures with ease
- Turbo segments for faster drilling

CALL FOR SIZES & PRICING



Product is only available at our following locations: Marietta, Columbus, Cincinnati, Huntington, Pittsburgh

14" Cutquik Saw FREE with purchase of 12 Diamond Deluxe Cut Blades

STIHL

DIAMOND PRODUCTS



M-4 Core Drill Rig w/ DK12 Weka Motor

66489 (.959606)

- Converts to hand held drill motor in seconds
- High strength, hard anodized, 1-1/2in. x 2in. Aluminium mast
- Combination stand quickly angles to 45 degrees. Mast can rotate 360 degrees on swivel base

M-1 Core Drill Rig w/ CB733 Motor

4245113 (.972218)



- Combination Base: mechanically anchor OR vacuum down with same base
- Slide handle allows for drilling in tight areas
- Amps: 20A / 115V

Core Bore CB215 Hand-Held Motor

108730 (.1080565)



- Light-weight for easy coring - 13lbs
- 3 speed gear box with slip clutch and locking gear lever
- Vacuum hose connection and water connection

GET 1 FREE W/ PURCHASE OF M-1, M-4, OR CB215!

3" Heavy Duty Orange Wet Core Bit

00005 (.140087)



- For use on mounted core rigs and hand held motors
- HOL bond for general purpose, cured concrete and hard materials
- 13 In. core length
- 1-¼ In.-7 threaded hub

WHILE SUPPLIES LAST!

14" High Speed American Producers / Diamond Logo Blades

70499LOGO (.855942)



For use on high speed masonry and low HP walk behind saws.

$169.00 Each

GET 1 FREE W/ PURCHASE OF CCE0900

20" Triple XL Turbo High Speed Diamond Blade

42893 (.1045367)



- General purpose, super-fast cutting
- Faster Serrated turbo segment
- Three different segments for longer life, faster cutting, and reliable performance
- Longer extended blade life with slant segment wear protection and tall segments

WHILE SUPPLIES LAST!

CCE0900 Portable Walk-Behind Saw

30396 (.1015645)



- Heavy-duty design but light enough for two people to lift
- Honda GX390 - 11.7 HP with cyclone air filter
- Built-in depth indicator



HONDA

2200 Watt Inverter Generator
EB2200ITAN (.841301)



- 1800 rated Watts
- Honda 121cc GXR120 engine with recoil start
- 30A, 125V locking plug allows parallel connection to another EU2200i or EU2000i with parallel cable (not included)
- CO Minder for essential protection from harmful carbon monoxide

3200 Watt Inverter Generator
EU3200I(.1048371)



- Super quiet & lightweight
- Inverter - stable power
- Honda My Generator app + Bluetooth® capability
- Ideal for TV, DVD, satellite, fridge, coffee pot, & more

5000 Watt Portable Generator
EB5000XK3AN (.788973)



- Provides 7,000 watts for 10 secs to start larger equipment
- Full GFCI protection
- OSHA work site compliant - meets job site emission and safety requirements
- Long run time - up to 10.5 hrs

6500 Watt Portable Generator
EB6500X1AN(.788909)



- Provides 7,000 watts for 10 secs to start larger equipment
- Full GFCI protection
- OSHA worksite compliant - meets job site emission and safety requirements
- Long run time - up to 9.8 hrs

MULTIQUIP

¼ HP Submersible Centrifugal Pump
YELLSUB (.769799)



- .115V/2.5A, 1Ø, UL & CUL listed electric motor
- Built-in overload protection
- 1¼" (NPT) male discharge w/1¼" female adapter and thermoplastic garden hose adapter

2" Submersible Trash Pump
ST2040T(.784278)



- 11.0HP, 115V/6.5A, 1Ø, UL & CUL listed electric motor
- Built-in overload protection
- Total head: 40 ft

2" Submersible Centrifugal Gasoline Powered Pump
QP2H (.769798)



- Perfect for construction, municipal and agricultural jobs
- Maximum pumping capacity of 158 gallons (598 liters) per minute
- Maximum lift of 25 ft

2" Submersible Centrifugal Pump
ST2037 (.784275)



- 1.0HP, 115V/9.8A, 1Ø, UL & CUL listed electric motor
- Built-in overload protection
- Reliable double mechanical oil-filled seal



ST2037 (.784275)

MAX

Twintier Rebar Tie Kit

RB443T (.1096571)



- Completes a tie in ½ a second
- Dispenses the precise amount of wire needed to form a tie
- Produces a shorter tie height which requires less concrete to cover a wire tie

Tie Wire Coil 30/Bx

TW1061T (.942994)



- Wire steel is melter, annealed and drawn in the U.S.A
- Steel mill certification available

Rebar Tying Tool

RB611T (.996787)



- Completes a tie in ½ a second
- Dispenses the precise amount of wire needed to form a tie
- Produces a shorter tie height which requires less concrete to cover a wire tie



RB443T (.1096571)

Rebar Tie Wire

TW898 (.909150)



- Black annealed steel tie wire for MAX Rebar tiers
- 21 gauge
- 312ft per roll
- 50 rolls per case

HARDWORKING FILTERS
FOR ALL OF YOUR EQUIPMENT.



END-TO-END FILTRATION FOR THE MOST DEMANDING REQUIREMENTS.

Donaldson delivers ***complete filter coverage*** for a wide range of equipment used in construction, mining, manufacturing, energy, power generation, and much more...

donaldson.com
shop.donaldson.com
800.374.1374

© 2018 Donaldson Company, Inc.

Donaldson FILTRATION SOLUTIONS

Ask us about our Fasteners!



TOUGHER THAN THE JOBSITE.

RAM BOARD

Multi-Cutter

MULTI-CUTTER-CS (.951017)



- The handle can store up to 4 extra blades
- Cuts a number of materials, including Ram Board, rosin paper, plastics, roofing felt, cable ties, and cardboard
- Dual Edge-Guard System™ protects both corners of the utility razor from touching the floor surface

Builder Board

BLD38100 (.769360)




- 38 in. x 100 ft. roll
- Installs fast and flat and is non-staining
- Allows moisture and vapors to escape
- Protects granite, travertine, marble, wood, etc.
- Heavy duty surface protection - 100% recyclable

Builder Board Tape

BLD048 (.1001877)



- Breathable seam tape comes in both 2” and 3”
- Strong, flexible and lays flat
- Liquid resistant
- Quickly and efficiently covers Builder Board temporary floor protection seams



BLD048 (.1001877)

TOUGHER THAN THE JOBSITE.

RAM BOARD

Waterproof Shoe Covers 100/Box

SC300 (.769644)



- Available in PE Coated Cloth and Plastic options
- Reusable and disposable
- The non-woven fiber shoe covers provide excellent protection for outside jobs
- The polyethylene coated option features a skid resistant bottom and is leak resistant

36”x500’ Carpet Shield

CS36500 (.769359)



- Self-adhering film designed to protect carpeting
- Highly resistant to tears and punctures
- Protects all kinds of carpeting for up to 45 days
- Will not leave any adhesive residue



CS36500 (.769359)

2”x180’ All-Purpose Blue Painter’s Tape

BT2180C (.786404)



- A multi-surface tape made with medium adhesion that won’t leave a residue
- uv-resistant when exposed to indirect and direct sunlight
- Made with an extra heavy duty paper, it’s the toughest all purpose painter’s tape on the market

Ram Board Pro Sheets Floor Protection

RBPS48968X (.1028321)



- 8X thicker than standard Builder’s Paper
- Made with our exclusive Spill Guard® technology for extreme liquid holdout
- Similar to corrugated plastic or plywood
- Easy to use, lay down flat, and are easy to seam together with Ram Board’s Seam Tape.




RBPS48968X (.1028321)

COVER WHAT MATTERS WITH A BLUE TARP!

Blue Tarps

- Anti-Ultraviolet treated
- Reinforced corners
- Water and mildew proof
- Grommets every 3 feet

Part #	Size
(.49763)	8’ x 10’
(.57068)	10’ x 12’
(.109692)	12’ x 16’
(.53397)	16’ 20’
(.52484)	18’ x 24’
(.167020)	20’ x 20’
(.710343)	20’ x 30’
(.104385)	50’ x 100’



WERNER

PROFORM™ F3 Climbing/Construction Harness

H063101 (.1058498) **Small**
H063102 (.1058500) **Medium/Large**
H063104 (.1058501) **Extra Large**
H063105 (.1058502) **2XL**



- Dual-Back pad system provides cooling airflow and breath ability and can be repositioned after
- Lightweight, athletic design and materials
- Built in Relief Cords provide relief after a fall allowing you to reach a gravity override seated position

SPECIAL ORDER ONLY!

Max Patrol Leading Edge SRL

R410010LE (.1089981) **10'**
R410020LE (.948379) **20'**
R410030LE (.956221) **30'**
R410065LE (.956223) **65'**



- Impact Resistant Polymer Housing with swivel top
- Meets ANSI z359.14, Class A and OSHA Standards
- Max Patrol leading edge is approved for use over steel beam, precast concrete and b-deck
- Minimizes Fall Arrest Distance to less than 24 inches when used overhead

Reusable Concrete Anchor

A510300 (.1062595)



- Secure one-hand operation with push-to-stop installation
- Quick-release button for removability
- Diamond hard carbon coating

22" Chain Rebar Positioning Lanyard

C191204 (.927768)



- Snap hook harness connection
- Rebar hook anchorage connector
- Intended for work positioning applications only
- Made with Grade 80 twist link chain for strength and durability

Roofing Bucket Kit

K112201 (.831043)




This kit includes...

- Reusable roof anchor
- 50ft poly-dac rope
- BaseWare harness w/ tongue buckle leg straps
- Manual rope grab w/ an integrated 3ftshock absorbing lanyard

3M | PROTECTA Fall Protection

Construction Style Positioning Harness

1161308 (.820217) **Small**
1161309 (.937001) **Medium / Large**
1161310 (.937002) **Extra Large**



- Equipped with a fixed dorsal D-ring to help reduce the need for readjustment throughout the workday
- Available in a variety of standard, comfort, and hot works configurations
- Integrated suspension trauma straps included on most models

Leading Edge Self-Retracting Lifeline

3590046 (.921459) **20'**
3590543 (.925092) **33'**
3590048 (.925093) **50'**



- Swivelling anchorage connector loop and carabiner
- Aluminium or thermoplastic housing design
- Quick activating speed-sensing locking system

ExoFit X300 Comfort Tower Climbing / Positioning / Suspension Harness

1113191 (.841274) **Medium**
1113192 (.810817) **Large**
1113193 (.943574) **Extra Large**
1113194 (.943628) **2XL**



- Equipped with a fixed dorsal D-ring to help reduce the need for readjustment throughout the workday
- Available in a variety of standard, comfort, and hot works configurations
- Integrated suspension trauma straps included on most models

Blue Armor H1120 Series Standard Harness

H112002 (.887564) **Medium/Large**
H112004 (.887567) **Extra Large**
H112005 (.887568) **2XL**



- Quick connect buckles on chest
- Built in Relief Handles provide immediate relief after a fall arrest allowing you to reach a gravity override seated position
- WebAlert™ inspectable webbing makes wear and damage visible and obvious, which makes inspection easier
- Lightweight, form fitting breathable padding



Journeyman Flex Steel Construction Full Body Harness

7035M (.973953) **Medium**
7035L (.1002190) **Large**
7035XL (.1050153) **Extra Large**



- Features integral padded shoulder yoke hip-to-seat leg and 6" waist support positioning pads
- Proprietary dorsal attachment sleeve supports effortless addition of personal SRLL
- Plated alloy steel low-profile spring tension roller torso adjusters

Roofing Kit w. Tongue/Buckle Harness

8595A (.914726)



This kit includes...

- 7016 UniFit full body harness
- 8150 50' vertical lifeline
- 8368 3' shock absorbing lanyard with trailing rope grab
- 7410 roof anchor

FT-R Class 2 Leading Edge SRL Galvanized Steel Cable

721520LE (.1058460) **20'**
721530LE (.1036843) **30'**
72156LE (.1058461) **60'**



- 7/32" galvanized steel cable lifeline with swivel snap hook
- Improved internal mechanism design minimizes unintentional lockups to keep workers moving freely and productively

8' FT-X™ Cable Class 2 Leading Edge Personal SRL-P, with Steel Snap Rebar Hook

82808SP1 (.1072003) **Single-Leg**
82808TP3 (.1098983) **Twin-Leg**



- Lightest SRL in its class with less than 5 lbs. of effective weight on the back while device is in use
- Features comprehensive fall clearance charts and tables inside the energy absorber cover
- Rated for workers weighing up to 420 pounds


82808SP1 (.1072003)



ENERPAC

Hand Pump Selection Guide

Use this guide to help choose what pump suits you the best.

Hand Pumps	5 Ton		10 Ton		15 Ton		25 Ton		30 Ton		50 Ton		75 Ton		100 Ton	
	No Load	Load	No Load	Load	No Load	Load	No Load	Load	No Load	Load	No Load	Load	No Load	Load	No Load	Load
P-391	7	7	15	15	21	21	34	34	43	43	73	73	105	105	137	137
P-392	2	7	4	15	5	21	8	34	10	43	16	73	24	105	30	137
P-80/84/801	1	7	2	15	3	21	5	34	7	43	11	73	16	105	21	137
P-802/842	1	7	1	15	1	21	2	34	3	43	5	73	7	105	9	137
P-462/464	1	3	1	8	1	11	1	18	1	23	2	38	2	55	3	71

*** Represents the number of handle strokes to move cylinder plunger 1" ***

Steel Hand Pumps



Enerpac P-Series, Ultima Steel Hydraulic Hand Pumps are durable, portable, and easy to use. The range features 2 stage hydraulic pumps for superior speed, and generous oil capacities - ideal for operating multiple hydraulic cylinders.

Product	Maximum Operating Pressure (psi)	Pressure Rating (psi) 1st Stage	Pressure Rating (psi) 2nd Stage	Cylinder Compatability	Pump Type	Reservoir and Usable Oil Capacity (in^3)	Oil Displacement per Stroke (in^3) 1st Stage	Oil Displacement per Stroke (in^3) 2nd Stage	Max Flow at Rated Pressure	Max Handle Effort (lbs)
P39	10,000	10,000	-	Single-acting	Single Speed	41	0.15	-	.15 in3/stroke	85
P77	10,000	500	10,000	Single-acting	Two Speed	41	1	0.15	.15 in3/stroke	88
P80	10,000	500	10,000	Single-acting	Two Speed	134	1	0.15	.15 in3/stroke	77
P801	10,000	500	10,000	Single-acting	Two Speed	250	1	0.15	.15 in3/stroke	77
P84	10,000	500	10,000	Double-acting	Two Speed	134	1	0.15	.15 in3/stroke	77
P462	10,000	200	10,000	Single-acting	Two Speed	453	7.69	0.29	.29 in3/stroke	110
P464	10,000	200	10,000	Double-acting	Two Speed	453	7.69	0.29	.29 in3/stroke	110

GA45GC 45° Angled Gauge Adaptor Assembly

- 45° angled gauge improves visibility
- Slim and narrow design
- Easy to fit in a broad range of systems
- Maximize controlled load movement
- Glycerine dampened gauge with dual scale
- Enerpac High Flow female coupler





HC9206C Heavy-duty Rubber High Pressure Hydraulic Hose



These high-pressure hydraulic hoses are heavy-duty, and provide the optimum combination of flexibility and low "memory" needed for long hose runs.

Product	Maximum Operating Pressure (psi)	Internal Diameter (in)	End One Coupler	End Two Coupler
HC9206C	10,000	.25	CH604	CH604



ENERPAC



General Purpose Hydraulic Cylinder

These single acting hydraulic cylinders are durable and , making them suitable for a wide range of applications; lifting, pushing, or pressing.



Product	Max Operating Pressure (psi)	Capacity Class (tonnage)	Max Cylinder Capacity Advanced (short tons)	Stroke (in)	Collapsed Height A (in)	Extended Height B (in)
RC101	10,000	10	11.2	1	3.53	4.53
RC102	10,000	10	11.2	2.13	4.78	6.91
RC104	10,000	10	11.2	4.13	6.75	10.88
RC106	10,000	10	11.2	6.13	9.75	15.88
RC108	10,000	10	11.2	8	11.75	19.75
RC1010	10,000	10	11.2	10.13	13.75	23.88
RC1012	10,000	10	11.2	12	15.75	27.75
RC1014	10,000	10	11.2	14	17.75	31.75

Multi-stage Telescopic Hydraulic Cylinder

Nitrocarburized surface treatment for superior performance in harsh conditions.



Product	Max Operating Pressure (psi)	Capacity Class (tonnage)	Max Cylinder Capacity Advanced (short tons)	Stroke (in)	Collapsed Height A (in)	Extended Height B (in)
RT1510	10,150	15	15	10.63	11.14	21.77
RT1817	10,150	20	19	17.13	13.58	30.71
RT2111	10,150	20	22	11.81	12.48	24.29
RT2119	10,150	20	22	19.69	15.55	35.24
RT3311	10,150	35	35	11.81	13.86	25.67
RT3323	10,150	35	35	23.62	18.74	42.36

Low Height Multi-stage, Telescopic Hydraulic Cylinder

For use in confined spaces: machinery positioning, tool fastening.



Product	Max Operating Pressure (psi)	Capacity Class (tonnage)	Max Cylinder Capacity Advanced (short tons)	Stroke (in)	Collapsed Height A (in)	Extended Height B (in)
RLT40	10,150	5	4.8	0.67	1.77	2.44
RLT41	10,150	5	4.8	0.91	2.13	3.03
RTL110	10,150	12	12.5	0.71	3.15	2.85
RTL111	10,150	12	12.5	1.57	3.50	5.08
RTL230	10,150	25	26.1	1.06	2.95	4.02
RTL231	10,150	25	26.1	1.26	3.78	5.04
RTL311	10,150	35	34.8	1.14	3.50	4.65
RTL501	10,150	50	55.8	1.02	3.78	4.80
RTL741	10,150	75	81.7	1.02	4.49	5.51

KROIL

AreoKroil 10oz Penetrating Oil

KS102 (.52268)



- Helps protect and clean metal surfaces
- Loosens frozen nuts and bolts, displaces water and prevents rust
- Leading producer of penetrating oils and lubricants in the industrial maintenance, repair, and operation

FEDPRO

Tub O' Towels Heavy Duty Cleaning Wipes

TW90 (.981367)



- 10" x 12" oversized wipes
- 100% solution soaked wipes
- Removes stains others won't, including: grease, tar, ink, paint, permanent marker and other hard-to-remove soils

BLASTER

PB Blaster Penetrating Oil 11oz

16-PB-DS (.101514)



- Includes a dual-spray pattern and volume adjuster that allows you to control the flow of product
- Breaks free rusted or frozen parts
- Protects against further rust and weathering
- Use on Automotive, Industrial, Marine & Plumbing Equipment

WD-40

8oz Smart-Straw Spray Can

490026 (.761261)



- Flip the straw up to direct a precision stream onto small areas
- Flip the straw down for a wider regular spray
- Fast-acting formula breaks rust and corrosion

Magnolia Brush
Manufacturers, Ltd. • Clarksville, Texas

Heavy Duty Broom Handle Brace


99 (.781207)



- Fits all floor and garage brushes (does not fit 38, 39 and 22-SL Lines)

Metal Threaded Wood Broom Handle

B60 (.781202)



- Selected hardwood with clear lacquered finish
- One end rounded and other end equipped with crimped-on metal thread to fit standard floor brush blocks


1436 (.786361)

36" Prime Stiff Palmyra Garage Brush

1436 (.786361)



- Recommended Use: For wet or dry sweeping under rough conditions such as wet and greasy concrete floors in service stations, packing houses, creameries, etc.

24" Silver Flagged Tip Plastic Floor Brush

3724 (.781199)



- Recommended Use: For sweeping smooth, highly polished floors, varnished wood or smooth concrete
- Will sweep finest dust or grit

Crocodile CLOTH

It's a Dirty World. Get Fierce.

Crocodile Cloth® is the toughest disposable cleaning cloth on the planet, to attack industrial-size messes in any habitat, from household spills to workplace disasters. Our unique formula devours grease, grime, grit and gunk and absorbs gloppy messes on contact so you can clean up in a single swipe. This is a cloth that works as hard as you do, so you can handle whatever life throws at you.

- Super-size cloths (15 x 10 inches) for faster, easier cleanup—as much as 4X the cleaning power of an ordinary wipe!
- Highly absorbent, low-lint nonwoven material collects and retains dirt like a microfiber cloth.
- Non-drying, alcohol-free formula is savage on dirt but gentle on hands, with aloe and vitamin E to condition skin.
- Safe for use on nearly all surfaces, including plastic, vinyl, metal, wood, bamboo, leather, carpets and fabrics.

Go ahead. Get messy.™

Crocodile Cloth® can take it.

MADE IN THE USA

Crocodile CLOTH POWER SCRUB

POWER SCRUB : Smooth on one side, rough on the other. Power Scrub provides the extra scouring power to clean gunky, stuck-on messes.

6500-080 (.1081064)



* *Product will stay moist for 12 months from purchase date or we will replace it free of charge. See terms and conditions on the website for further details.*

Justrite

2 Gallon Red Type 1 Gas Can w/ Funnel

71200110 (.850582)



- Self-closing lid controls spills
- Leakproof, auto-venting lid prevents explosion
- Approved by FM, UL/ULC, and TUV; also meets OSHA and NFPA requirements

90 Gal Yellow Flammable Safety Cabinet with Self-Closing Door

899020 (.1038849)



- Exterior dimensions of 65" H x 43" W x 34" D
- Complies with OSHA, NFPA 30, NFPA 1 and IFC
- Designed for the safe storage of chemicals and flammable liquids

SPECIAL ORDER ONLY!

5 Gallon Red Type 1 Gas Can w/ Funnel

7150110 (.850579)



- Self-closing lid controls spills
- Leakproof, auto-venting lid prevents explosion
- Approved by FM, UL/ULC, and TUV; also meets OSHA and NFPA requirements

5 Gallon yellow Type 1 Diesel Can w/ Funnel

7150210 (.850581)



- Color coding avoids accidents
- Self-closing lid controls spills
- Approved by FM, UL/ULC, and TUV; meets OSHA and NFPA requirements

EAGLE

Type 1 Safety Cans


UI-50-S (.24592) **Red 5 Gal.**
UI-50-SY (.117417) **Yellow 5 Gal.**
UI-10-S (.55505) **Red 1 Gal.**
UI-20-S (.23174) **Red 2 Gal.**
UI-25-S (.836594) **Red 2½ Gal.**



- 24-gauge hot dipped galvanized steel
- Made in the U.S.A.
- Meets OSHA and NFPA Code 30 requirements

Spill Containment Pallet

1632 (.629158)



- 30 gallon capacity
- 5,000 lb. load capacity
- 26¼" W x 51½" D x 6½" H
- Durable high density polyethylene (HDPE) for chemical resistance
- Removable HDPE grating for easy cleaning
- Easily connects with Eagle's other spill pallets and pallet ramp



UI-50-S (.24592)

9" Poly Funnel for Type 1 Gas Can

F15 (.24027)



- This funnel is specifically designed to fit Eagle Type I metal safety cans, ensuring a secure attachment for smooth and precise pouring, minimizing spills
- Length: 10 inch
- High-Density polyethylene

KNAACK

Armoured Transport Cart

KAT-01 (.1088675)



- Oversized 8” diameter rubber wheels
- Swivel wheels and an ergonomic handle
- 750 lb. load rating, 50% more than standard carts
- 16-gauge Armoured steel panels and full-framed lockable steel doors
- Integrated tray compartments for parts and hardware

Jobmaster Rolling Workbench

40 (.101614)



- 4” caster set (2 swivel; 2 rigid)
- 800 lb. load capacity evenly distributed
- Two 5” deep drawers with ball bearing glides
- Patented Watchman® IV Lock System,1 point locking with recessed lock housing that protects against thefts
- Heavy-duty, 16-gauge steel locking tool cabinet construction with fully arc-welded seams

Transport Cart

KT-01 (.1103815) *



- Maximizes mobility even when moving maximum payloads across the jobsite
- 750 lb. load rating, 50% more than standard carts
- Oversized, 8-inch-diameter rubber wheels with both swivel and locking features

SPECIAL ORDER ONLY!

48X30X34 ¼ Jobmaster Chest

4830 (.54948)



- Heavy duty 16-gauge steel construction
- Recessed handles
- Baked on powder coat finish
- Weather resistant
- Caster-ready

60X30X49 Piano Box

89 (.55334)



- Heavy duty 16 gauge steel construction
- Heavy-duty hinges (staked & welded)
- Weather resistant, baked-on powder coat finish
- Protected gas springs to prevent damage
- Caster-ready

JOBOX

60” Slope-Lid Jobsite Box

1-680990 (.725114)



- Site-Vault™ security system with bolt-cutter proof housing
- Full-length steel lock console with three locking points
- Lid support rod props up lid for a flat working surface
- Grip-Rite™ lifting channel for easier opening

Site-Vault Chest

2-652990 (.1001958) **36x20**
2-653990 (.1000725) **42x20**
2654990 (.993330) **48x24**
2-656990 (.993332) **48x30**
2-655990 (.1000722) **60x24**



- 3 locking points and a reflective lock indicator that shows when box is locked or unlocked

48” Tradesman Chest 48X24

CJB637990 (.994203)



- High-security design features enclosed dual lock system that resists saws, pry bars, and bolt cutters
- Grip-Rite™ lifting channel provides better grip on lid for easier and safer lid operation
- Rain-Drain feature in padlock housing prevents water from collecting in box

30” Deep Heavy-Duty Two Door Cabinet

1-698990 (. .772438)



- Nearly 17 linear feet of door shelf storage
- Three 5/8” steel locking pins per door
- Welded corner gussets
- Three heavy-duty lock hooks per door
- EZ-Loader® skid bolsters
- Access holes for electrical cables
- Staked and welded hinge
- Stainless steel door hinges resist rust

WERNER


6' LeanSafe™ X3 Ladder

LDP7306 (.988832)



A professional 3-in-1 multi-purpose ladder that seamlessly changes from a step to straight ladder in one adjustment. With a duty rating of 375 pounds, the LEANSAFE® ladder is uniquely designed to securely lean against flat wall surfaces, wall corners, poles, and wall studs and perform as a standard stepladder.

- 3 in 1 mulitpurpose ladder
- 375 lbs. capacity
- Multi-Position ladders, works around electricity



LDP7306 (.988832)

Type 1A Fiberglass Step Ladder

6204 (.49656) **4'** 6210 (.49569) **10'**
6206 (.54988) **6'** 6212 (.48679) **12'**
6208 (.50438) **8'**



- 300lb duty rating
- Features a LOCKTOP® which provides maximum storage capacity for the most frequently used tools
- The LOCKTOP® features an impact driver slot to safely hold the most used tools
- Three anchor points
- Fiberglass rails are non-conductive for working near electricity.

LeanSafe Fiberglass Ladder

L6204 (.916647) **4'** L6210 (.916554) **10'**
L6206 (.916536)* **6'** L6212 (.916648) **12'**
L6208 (.916552) **8'**



- Type 1,300 lb. capacity
- Designed to lean against walls, corners, and poles
- Non-marring rubber pad protects the wall
- Top is designed to secure tools and increase productivity
- Rail latch locks legs together when in leaing mode
- Curved foot pads to maximize surface area when in stepladder and leaning mode

Type 1AA Fiberglass Step Ladder

6304 (.791364) **4'** 6310 (.791367) **10'**
6306 (.791365) **6'** 6312 (.791368) **12'**
6308 (.791366) **8'**



- Duty rating of 375lb
- Features a LOCKTOP® which provides maximum storage capacity for most frequently used tools
- The LOCKTOP® features an impact driver slot to safely hold the most used tools
- Steel plate on the side helps expand storage on the ladder top by allowing the use of magnetic accessories

Type 1AA Fiberglass Step Ladder

D6216-2 (.55084) **16'** D6228-2 (.50612) **28'**
D6220-2 (.50530) **20'** D6232-2 (.50698) **32'**
D6224-2 (.55172) **24'** D6240-2 (.50794) **40'**



- Features non-conductive rails making this ladder ideal for working near electricity
- Duty rating of 300lb
- The exclusive Alflo® rung joint means Twist-Proof® performance on the job
- The Traction-Tred® D rungs are slip-resistant and the side rails are interlocking
- Has dual action feet for use on hard surfaces


LevelSafe Pro Automatic Leveler

PK100 (.1103821)



- Compatible for use with the following Werner ladder models: D1200-2, D1300-2, D500-2, D5900-2, D6000-2, D6200-2, T6200-2GS, D7100-2, 7100-2
- Easily attach to select Werner ladders to level ladder on uneven surfaces
- Additional 8.5" maximum automatic leveling height on all ladders
- Compatible for use with Werner ladders 225 lb. Type II - 375 lb. Type IAA duty rating

SPECIAL ORDER ONLY!



HARRINGTON
A KITO GROUP COMPANY

TCL Series Lube Free Air Hoists

TCL Series lube free air hoists are able to operate without air supply lubrication which leaves the surrounding environment free of oil mist from the air exhaust. Our TCL series hoists are recommended for use in any area where oil mist cannot be tolerated such as in food, chemical or pharmaceutical industries. These hoists feature precise load positioning with either pendant or cord control.





TCE Spark Resistant Air Hoists

TCE-IIB Series air hoists are built with components that will reduce or eliminate risk of spark produced by impact or friction in heavy-duty industrial applications. Our TCE-IIB are Ex certified spark resistant to level II 2G Ex h IIB T4 Gb for gas and II 2D Ex h IIIB 130°C Db for dust and are in compliance with the ATEX Directive 2014 / 34 / EU.

LB Series Lever Hoist

The LB Series of lever hoists offers a low headroom, compact design that is perfect for use in tight quarters.

- Rugged, all-steel construction that actually weighs less than comparable aluminium models
- Grade 100 heat-treated load chain is nickel plated
- Test certificate verifies that every hoist has been factory load tested to 125% of rated capacity, in accordance with ASME B30.21 requirements
- Patented spring-loaded freewheel mechanism
- Weston-style load brake
- Top and bottom hooks rotate 360˚
- Forged and heat-treated alloy steel hooks.
- Rubber grip for non-slip operation



Catalog/Part #	Description
LB008-5 (.802790)	¾ Ton, 5' Lift
LB008-10 (.731535)	¾ Ton, 10' Lift
LB008-15 (.761836)	¾ Ton, 15' Lift
LB010-10 (.754830)	1 Ton, 10' Lift
LB010-15 (.835277)	1 Ton, 15' Lift
LB015-5 (.761838)	1½Ton, 5' Lift
LB015-10 (.731536)	1½ Ton, 10' Lift
LB015-15 (.766661)	1½ Ton, 15' Lift
LB015-20 (.722696)	1½ Ton, 20' Lift
LB020-5-LWH* (.802795)	2 Ton, 5' Lift
LB020-10 (.784146)	2 Ton, 10' Lift
LB020-15 (.849382)	2 Ton, 15' Lift
LB028-10 (.749632)	2¾ Ton, 10' Lift
LB030-10 (.684020)	3 Ton, 10' Lift
LB030-15 (.583245)	3 Ton, 15' Lift

*with Load Limit Warning Handle

Series 602-603 Mini Ratchet Lever Hoist

- Weston type braking system.
- Simple one-handed operation.
- Forged upper and lower hooks with latches standard.
- Impact resistant, all-steel frame, gear case and cover
- Metric rated.
- Hardened link-type alloy steel load chain for strength.
- Free wheeling feature serves to quickly attach the load.



Cat./Item #	Capacity	Lift
0210 (.349630)	550 lbs.	5 ft.
0214 (.700879)	550 lbs.	10 ft.
0215 (.702785)	1100 lbs.	5 ft.
0216 (.737386)	1100 lbs.	10 ft.

Series 653 Lever Operated Hoist

- Weston type braking system.
- Simple one-handed free chaining.
- Forged upper and lower hooks with heavy cast steel latches.
- 5-year warranty against defects in material and workmanship.
- Metric rated.
- Meets ASME B30.21 - Manually Lever Operated Hoist Standard and European CE Standard.



Item #	Capacity	Lift
5311 (.614595)	¾ ton	10 ft.
5312 (.706327)	¾ ton	15 ft.
5328 (.676277)	1 ton	5 ft.
5315 (.209979)	1½ ton	5 ft.
5316 (.138560)	1½ ton	10 ft.
5317 (.138869)	1½ ton	15 ft.
5321 (.767953)	3 ton	10 ft.

Series 622A Chain Hoist Series

- Durable steel frame with heat-treated, load-bearing components.
- Forged hooks swivel 360.
- Hand wheel cover with guide slots.
- Weston-type brake stays clean and dry.
- Hardened load chain for flexibility.
- Easy to operate, units feature pull forces as low as 50 lbs.

Item #	Capacity	Lift
2255A (.60798)	½ ton	10 ft.
2208A (.107970)	½ ton	15 ft.
2256A (.773056)	1 ton	10 ft.
2210A (.113926)	1 ton	15 ft.
2262A (.109459)	1 ton	20 ft.
2264A (.105786)	1 ton	30 ft.
2258A (.766566)	2 ton	10 ft.
2213A (.680642)	2 ton	15 ft.
2233A (.114469)	2 ton	20 ft.
2259A (.766567)	3 ton	10 ft.



Super Strong Anchor Shackles

CM Super Strong Shackles are carbon-type shackles with strength ratings that are up to 50% stronger than comparable-sized carbon shackles. These shackles are designed with a 6:1 safety factor. Anchor shackles can be side loaded or used for multiple connections.

- Shackles show major deformation before failure
- Manufactured from micro alloy steel for optimal strength
- Available in sizes 3/16" to 21/2"
- Permanent markings on body indicate working load limit
- Other styles available now by special order



Bolt, Nut & Cotter



Round Pin



Screw Pin

CALL FOR SIZES!

Enduro Pro Intrinsically Safe Headlamp

61424 (.974150)



- LED Technology for extreme brightness
- Spot beam creates peripheral illumination
- Flood beam allows for shadow free operation when on a hard hat
- 45° tilting head, IP67 rated design; waterproof to 1 meter for 30 minutes

DUALIE ® 3AA Flashlight

68750 (.872790)



- 245 lumens (spot/flood combo)
- Division 1, Intrinsically safe
- Two beams that intersect for optimum path illumination and no blind spots

3AA Haz-Lo headlamp

61200 (.773912)



- Three “AA” alkaline batteries (included)
- 120 lumens output; Runs 11 hours
- Includes elastic head strap and rubber hard hat strap
- Intrinsically safe – Class I, Division I hazardous locations
- C4® LED technology, impervious to shock, 50,000 hour lifetime

Strion 2020 Rechargeable LED Flashlight

74430 (.1093439)



- Run time on High - 1.75 hours
- 1,200 lumens and 28,000 candela for long-range applications
- Independently functioning head and tail switches

SPECIAL ORDER ONLY!

Luxtreme SL25R Rechargeable Spotlight

NEB-SPT-1004 (.1093434)



- waterproof (IP67)
- A powerful magnetic base
- 1/4-20 tripod mount
- White or red C•O•B flood light and 1/4 mile light beam spot light

SPECIAL ORDER ONLY!



NEB-SPT-1004 (.1093434)

SLYDE+ LED Flashlight/Worklight

NEB-WLT-0006 (.881499)



- Body Color: Storm Gray
- Body Diameter: 1⅜”
- Flashlight Battery Size: AAA (2 included)
- Maximum Lumens Output: 300 (LED, 200 (COB LED)

Big Larry 3 Worklight 3-in-1

NEB-FLT-1041 (.1069889)



- 7 light modes, 600 lumen work light
- 220 lumen flashlight and 40 lumen red task light
- Variable dimming, Direct-to-Red, Power Memory Recall, and a strong magnetic base
- Aircraft-grade aluminium construction and rubber grip provides impact-resistant drop protection

SPECIAL ORDER ONLY!

Davinci® 3200L Rechargeable Flashlight

NEB-FLT-1026 (.959533)



- LED technology and Direct-to-Low Startup
- 3200 lumens and 4 light modes
- Push button mode allows you to easily select light modes



Halo SL White
S100010-101 (.998237)

Lightweight, cordless and powerful flood task lighting system that connects securely to any hard hat

- Providing a 360° ring of light around the wearer, the Halo provides visibility up to a ¼ mile away in all directions
- Includes a 50-foot spotlight and is water-resistant for submersion of up to 1 meter for a length of 30 minutes
- Includes a Spot Light and Task Lights that can provide 20 different lighting combinations
- Battery and charger included



S100010-101

Halo SL with Amber Brake Light
S100011_101 (.998240)



S100011-101

Halo SL with Red Brake Light
S100012_101 (.998241)



S100012-101

8 Bay Battery Charger
KLGC-01B-01 (.998243)

- Battery recharge time: Up to 7 hours
- Compatible with: Li-ion:26650, 22650, 18650, 18490, 17670, 17500, 16340, 14500, 10440
- Ni-MH, Ni-Cd:AA AAA AAAA C





2 Bay Battery Charger
HABC-01A-US (.998242)

- A universal charger for charging up to 2 rechargeable 18650 Lithium-Ion batteries
- Supports 100-240V
- Swappable plug supports various countries
- Batteries sold separately



2 Pack Lithium Ion Battery
HARB-01A-X2 (.998244)

- Battery Life: 5.5 hrs min at 20°C
- Battery recharge time: up to 5.5 hours with Halo charge
- Safety standard: IEC/UL 62133
- Certified by TUV

V-Head Pipe Stands

56662 (.117310) **High Pipe Stand 20-38”**
56657 (.256110) **Low Pipe Stand 28-52”**

- Locking ring allows for quick height adjustments
- 12” pipe capacity
- 2,500 lb. weight capacity



RT1400 14gl Wet/Dry Vac

62718 (.1014727)

- Durable, long-lasting motor backed by industry’s best warranty
- 2-Piece Polypropylene Drum Construction - Rugged construction to meet the higher demands found at worksites
- Powerful 6.0 Peak Horsepower



RT1200 12gal NXT Vac

62703 (.991800)

- Powerful 5.0 Peak Horsepower
- Durable, long-lasting motor backed by industry’s best warranty
- Polypropylene Drum Construction





62718 (.1014727)

Model 700 Power Threader Hand-Held

41935 (.16704)

- Cast aluminium body
- Designed for RIDGID® Model 12-R die heads
- Other RIDGID die heads (OO-R, OO-RB, 11-R) can be used using adapters
- Can also be used with 258 / 58XL pipe cutters




41935 (.16704)

Manual Ratchet Threader Set

36475 (.15112)

- Includes die heads, ratchet assembly, ratchet handle and alloy dies
- Exposed ratchet threader
- Uses 12-R dies
- Includes 1/2” - 2” die heads
- Designed to thread pipe or conduit using individual die heads for each size of pipe and a manually operated ratchet



6” M-Brush Technology Grinder

WEPBA 19-150QDS (.855123)



- 14.5 amps of power and M-Brush technology
- Patented dust guard, up to 20% more high overload capacity and 50% more torque
- Quick disc change at the push of a button without tools



WEPBA 19-1500QDS (.855123)

4-½” Angle Grinder

W11-125Q (.764733) **Lock**
WP11-125Q (.1005387) **No Lock**



- Compact angle grinder with smallest handle circumference in its class for perfect ergonomics
- Up to 20% more high overload capacity and 50% more torque



WP11-25Q (.1005387)

Original Slicer Cut-Off Wheel



- Aluminium oxide, general purpose wheel
- For steel and other ferrous metals
- Flexibility for flush cutting

Catalog /Item #	Type	Size	Max RPM
655331000 (.108233)	1	4 1/2	15,000
655339000 (.49796)	1	6”	10,200

Slicer-Plus Cut-off Wheel




- Long life
- Cool cutting
- For steel, stainless steel, non-ferrous metals

Catalog /Item #	Type	Size	Max RPM
655997000 (.500890)	1	4 1/2	15,000
655998000 (.772975)	1	6”	10,200

4” Knotted Wire Wheel

655136000 (.329060)



- Edging type: hardened steel-wire
- Especially suitable for processing narrow workpieces
- For universal use in metal processing, e.g. for smoothing welding seams and points, stripping slag, scales and old paint

2 ¾” Knotted Cup Brush

623804000 (.60975)



- To work on large areas, welded seams, etc.
- Edging type: twisted steel wire
- For universal use in metal processing, e.g. for cleaning, debarring, purging, removing rust, smoothing welding seams and points, stripping slag, scales and old paint

M12 Fuel 2-Tool Combo Kit

3497-22 (.1056941)



This kit includes:

- (1) Contractor bag
- (1) Milwaukee M12 FUEL 1/2” Drill Driver
- (1) M12 FUEL 1/4” Hex Impact Driver
- (1) M12 REDLITHIUM XC 4.0Ah Battery Pack
- (1) M12 REDLITHIUM CP 2.0Ah Battery Pack
- (1) M12 charger



2520-21XC (.853363)

M12 Fuel Compact Band Saw Kit

2529-21XC (.1030242)



This kit includes:

- (1) Contractor bag
- (1) M12 Charger
- (1) 12/14 TPI Extreme Metal Blade
- (1) M12 REDLITHIUM XC4.0 batteries

M12 Fuel Hackzall Kit

2520-21XC (.853363)



This kit includes:

- (1) Hackzall saw
- (1) M12 charger
- (1) M12 REDLITHIUM XC battery
- (1) Contractor bag

M12 Fuel Stubby ½” Impact (Bare Tool)

2563-20 (.1100485)



- Up to 550 ft./lbs. of nut-busting torque
- Lightest weight and more compact
- 50% faster application speeds
- Mode 1 RPM: 0–930; Mode 2 RPM: 0–2,100; Mode 3 RPM: 0–3,000; Mode 4 RPM: 0–3,000

M12 Fuel Oscillating Multi-Tool (Bare Tool)

2526-20 (.1007937)



- Variable Speed Dial to allow users to adjust the speed to the application
- Oscillation Angle: 3.9 Degrees for faster cutting
- LED Light for better visibility in low-light situations
- Vibration dampening technology for lowest full tool Vibration



2563-20 (.1100485)

M12 Rover Flood Light w/USB Charging (Bare Tool)

2367-20 (.1012026)



- Provides 700 lumens of TRUEVIEW™ High Definition Output
- Capable of lighting up a workspace for up to 24 hours at a time with an M12™ XC4.0Ah Battery Pack
- Features a light head that pivots 110° for you to orient the light in multiple directions

M18 Cordless 2-Speed Grease Gun (Bare Tool)

2646-20 (.818551)



- 48” flexible hose
- Air bleeder valve for quick priming
- Industry leading 10,000 PSI max operating pressure

M18 Fuel 2-Tool Combo Kit

3697-22 (.1050036)



This kit includes:

- (1) M18/M12 charger
- (1) Carrying case
- (1) M18 FUEL 1/2” Hammer Drill
- (1) M18 FUEL 1/4” Hex Impact Driver
- (2) M18 REDLITHIUM XC 5.0Ah Battery Pack

M18 Fuel ½" High Torque Impact Wrench Kit

2967-22 (.919163)



This kit includes:

- (1) Hard Case
- (2) M18™ REDLITHIUM™ XC5.0 Resistant Battery
- (1) M18™ & M12™ Multi-Voltage Charge
- (1) M18 FUEL™ 1/2" High Torque Impact Wrench w/ Friction Ring

M18 Fuel 9" Cut-Off Saw Kit

2786-22 (.986864)



This kit includes:

- (1) Wrench
- (1) Hex Wrench
- (1) M18™ & M12™ Rapid Charge
- (1) Diamond Premium Segmented Blades
- (1) 9" X 3/32" X 7/8" Metal Cut-Off Whee
- (1) M18 FUEL™ 9" Cut-Off Saw w/ ONE-KEY™
- (2) M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack

M18 Fuel SawZall Recip. Saw (Bare Tool)

2821-20 (.1015661)



- Leverages a POWERSTATE™ Brushless Motor to provide you with 3,000 SPM and a 1-1/4" stroke length for faster material removal
- REDLINK™ PLUS electronics ensure maximum performance under stress as well as protection from overloading, overheating, and over-discharging

M18 Fuel 4-½ - 5 Braking Grinder (Bare Tool)

2882-20 (.1023567)



- Delivers 8,500 RPM to provide the power to complete the toughest grinding and cutting applications
- REDLINK PLUS Intelligence enablles communication between batteries and tools
- Tool-Free Guard Adjustment for faster guard installations and adjustments

2-Piece Curved Jaw Plier Set

48-22-3402 (.938800)



- Made of alloy steel with a finish
- Includes (1) 48-22-3410 10 in. torque lock curved jaw locking pliers with durable grip and (1) 48-22-3407 7 in. torque lock curved jaw locking pliers with durable grip



48-22-3402 (.938800)

3-Piece Aviation Snips Set

48-22-4533 (.819636)



- Ease of use/Quick open & close
- Won't hang up on material
- Forged Alloy Steel Blades
- Cuts: Up to 18ga CRS (Cold Rolled Steel); 22ga SS (Stainless Steel)

M18 Redlithium High Output XC6.0 Battery 2-Pack

48-11-1862 (.994929)



- Provides 50% more power and runs 50% cooler vs M18™ REDLITHIUM™ XC battery packs
- The combination of size and increased power provides a great solution for the entire range of M18™ products

10 Piece Precision Screwdriver Set

48-22-2612 (.1082180)

This set includes:

- (1) Phillips #0 Precision Screwdriver
- (1) Phillips #00 Precision Screwdriver
- (1) Slotted 1/8" Precision Screwdriver
- (1) Slotted 3/32" Precision Screwdriver
- (1) TORX T6 Precision Screwdriver
- (1) TORX T7 Precision Screwdriver
- (1) TORX T8 Precision Screwdriver
- (1) TORX T9 Precision Screwdriver
- (1) TORX T10 Precision Screwdriver
- (1) TORX T15 Precision Screwdriver



12V Max Xtreme Drill & Impact Combo Kit

DCK221F2 (.1006143)



This kit includes:

- (1) DCD701B 12V MAX Drill/Driver
- (1)DCF801B 12V MAX Impact Driver
- (1) 12V MAX-20V MAX Charger
- (1) Belt Clip and Kit Bag
- (2)DCB122 12V MAX 2.0AH lithium ion batteries

12V Max Green Cross Line Laser Kit

DW088LG-K (.872129)



This kit includes:

- (1) Cross line laser
- (1) Battery pack
- (1) Magnet enhancement Plate
- (1) Drop ceiling attachment
- (1) Charger
- (1) Target Board
- (1) TSTAK Case

12V Max Xtreme One-Handed Recip. Saw (Bare Tool)

DCS312B (.1036736)



- Lightweight and compact for ultimate portability
- Ergonomics optimized for one-handed use
- Brushless motor for enhanced performance and extended life

12V Max Extreme Oscillating Tool (Bare Tool)

DCS353B (.1060221)



- Convenient portability with lightweight and compact design
- Enhanced performance and long runtime with brushless motor
- Universal accessory adapter works with most oscillating tool accessory brands



DCS353B (.1060221)

12V Max Xtreme 5-in-1 Drill/Driver Kit

DCD703F1 (.1068805)



This kit includes:

- (1) Brushless Cordless 5-in-1 Drill/Driver
- (1) DCB122 12V MAX* 2.0Ah Battery
- (1) DCB112 Charger
- (1) Belt Hook
- (1) Kit Bag.



DW088LG-K (.872129)

12V Max Extreme 5-⅜ Circular Saw (Bare Tool)

DCS512B (.1060220)



- Pro-Grade Cuts - 5-3/8 In. blade size allows for a maximum 1-3/4 in. depth of cut at 90° and a maximum 1-1/4 in. depth of cut at 45°
- High maneuverability with the saw's compact design

20V Max 2-Tool Combo Kit

DCK2100P2 (.1013664)



This kit includes:

- (1) 20V MAX* XR® Impact Driver
- (2) 20V MAX* 5Ah batteries
- (1) charger
- (1) Durable storage bag
- (1) 20V MAX* 1/2 in. Hammer Drill/Driver with FLEXVOLT ADVANTAGE™ technology

20V Max Grease Gun Kit

DCGG571M1 (.834194)



This kit includes:

- (1) 20V MAX* XR® Impact Driver
- (2) 20V MAX* 5Ah batteries
- (1) charger
- (1) Durable storage bag
- (1) 20V MAX* 1/2 in. Hammer Drill/Driver with FLEXVOLT ADVANTAGE™ technology

20V Max 1” L-shaped SDS+ hammer Drill Kit

DCH273P2 (.857825)



This kit includes:

- (2) 20V MAX* batteries
- (1) Charger
- (1) Durable kit box
- (1) 20V MAX* XR® 1 in. SDS PLUS L-Shape Rotary Hammer



DCH273P2 (.857825)

20V Max Deep Cut Bandsaw (Bare Tool)

DCS374B (.876901)



- 5’’ Cutting Capacity
- LED Work Light with 20 second delay illuminates dark work surfaces accurate cutting
- Integrated hang hook allows user to hang the saw without damaging the front handle or base

20V Max Recip. Saw (Bare Tool)

DCS380B (.802760)



- Variable speed trigger with 0-3000 spm
- 1-1/8” stroke length delivers a fast cutting speed
- 4-position blade clamp allows for flush cutting and increased positional versatility with tool-free blade changes



DCS380B (.802760)

20V Max 4-½ - 5 Grinder (Bare Tool)

DCG412B (.802763)



- 8,000 rpm motor
- Tool-free guard allows for quick and easy guard adjustments/positioning
- Quick-Change™ Wheel Release allows tool free wheel removal

20V Max Battery & Charger Starter Kit

DCB205-2CK (.896115)



This kit includes:

- (2) 20V MAX* 5.0Ah XR Battery
- (1) Battery Charger
- (1) Soft bag

20V Max Powerstack Battery & Charger Starter Kit

DCBP520C (.1065223)



This kit includes:

- (1) 20V MAX* XR POWERSTACK™ 5Ah battery
- (1) Charger

20V Max Compact Battery & Charger Starter Kit

DCB230C (.971981)



This kit includes:

- (1) 20V MAX* 3Ah Battery
- (1) Charger

12V Max / 20V Max / Flexvolt Multi-Port Charger

DCB104 (.945853)



- Simulatenous Charging - 8 Amps output per port charge batteries at the same time
- Compatable with DEWALT® 12V MAX*, 20V MAX*, and FLEXVOLT® 20V/60V MAX* batteries
- Capable of being mounted



DCB104 (.945853)


GRL900-20HVK (.1090391)

Self-Leveling Rotary Laser Kit

GRL900-20HVK (.1090391)



This kit includes:

- (1) LR10 Laser Receiver
- (1) BT160 Aluminium Tripod
- (1) GR 8 8-Ft. Leveling Rod
- (1) RC1 Remote Control
- (1) WM 24 Wall Mount
- (1) Red Laser Glasses
- (1) Red Target Card
- (3) AA Batteries & (2) D Batteries
- (1) Carrying Case
- (1) GRL900-20HV REVOLVE900 Self-Leveling Horizontal/Vertical Rotary Laser

18V 1 - 9 / 16" SDS-Max Rotary Drill Kit

GBH18V-36CK24 (.1090342)



This kit includes:

- (1) Charger
- (1) Auxiliary Handle
- (1) Carrying Case
- (2) CORE18V® 8 Ah High Power Batteries
- (1) PROFACTOR™ 18V Connected-Ready SDS-max® 1-9/16 In. Rotary Hammer


GBH-18V-36CK24 (.1090342)

18V 1" SDS+ D-Handle Rotary Hammer Kit

GBH18V-26DK25 (.1090339)



This kit includes:

- (1) 18V Charger
- (1) Auxiliary Handle
- (1) Depth Gauge
- (1) Carrying Case
- (1) GBH18V-26D 18V EC Brushless SDS-plus® Bulldog™ 1 In. Rotary Hammer
- (2) GBA18V40 18V CORE18V Lithium-Ion 4 Ah Advanced Power Batteries



GBH18V-26DK25 (.1090339)

18V Screwgun & Cut-Out Tool Combo Kit

GXL18V-291B25 (.1090344)



This kit includes:

- (1) 18V Charger
- (2) Belt Clips
- (1) 1/8 In. Collet
- (1) 1/4 In. Collet
- (1) 5/32 In. Collet
- (2) 1/8 In. Cutting Bits
- (1) Screwdriving Bit
- (1) Bit Holder
- (1) Carrying Bag
- (1) GCU18V-30 18V Brushless Cut-Out Tool
- (1) GTB18V-45 18V Brushless 1/4 In. Hex Screwgun
- (2) GBA18V40 18V CORE18V® Lithium-Ion 4 Ah Advanced Power Batteries

Professional 5 / 8" Corded Mixer

GBM9-16 (.1032891)



- Variable-speed motor – provides high-torque power
- Powerful 9.0 Amp motor generates outstanding torque for mixing materials such as cement
- Rotatable 360° D-handle design plaster and epoxy resin

ARC PROTECTION
PPE 4 - 40 CAL/CM²



SINGLE LAYER 9.5oz PYRAD® FABRIC

BY GORE-TEX® LABS – 40 CAL/CM²

COMPLIANCE

NFPA 70E | ASTM F1506 | ASTM F1959 | OSHA 1910.269

JACKET
9100-524PYR
- Nomex® knit cuffs for protection during movement
- Nomex® zipper adds flame resistance and durability



BIB OVERALLS
9100-530PYR
- 20" Nomex® zipper on leg for easy donning and doffing
- Adjustable straps on waist and shoulders



LIFT FRONT HOOD
9150-538PYR
- Air vents block arc flash hazards while improving communication clarity
- High transparency face shield



ARC FLASH KIT
9150-40PYR

Kit Components:
- Jacket
- Bib Overalls
- Lift Front Hood
- Safety Glasses
- Apparel Bag



PIP GLOBAL SAFETY

PROTECTIVE INDUSTRIAL PRODUCTS, INC.
www.pipusa.com

SCAN *for more details*

10/2024

KILIMANJARO™ + DYNA-CLIC™

ANSI TYPE II SAFETY HELMET WITH PRE-INSTALLED MAGNETIC CHIN STRAP

- Lightweight HDPE shell made with UV stabilized High Density Polyethylene (HDPE) reduces worker fatigue
- EPS foam liner provides front, rear and lateral protection from impact and penetration
- 4-Point quick release suspension with strong textile straps and crown comfort pad provides a comfortable and secure fit
- Non-chaffing, replaceable foam sweatband for maximum sweat absorption
- SURE-LOCK wheel ratchet adjustment system for one hand size adjustments
- Precise height adjustment settings to ensure proper depth
- Factory installed 4-point Dyna-Clic™ chin strap

280-HP542MC Included

AVAILABLE COLORS

White | Yellow



280-HP642R-CH
Non-Vented Shell

ANSI Z89.1-2024 | CSA Z94.1 | IMPACT TYPE II | ELECTRICAL CLASS E



VENTED SHELL

280-HP642RV-CH
Vented Shell

ANSI Z89.1-2024 | CSA Z94.1 | IMPACT TYPE II | ELECTRICAL CLASS C

ACCESSORY OPTIONS FOR FULL BRIM KILIMANJARO™

ALL ACCESSORIES SOLD SEPARATELY

REPLACEMENT CHIN STRAP



280-HP542MC
Dyna-Clic™ 4-Point Chin Strap with Pad
- Magnetic closure
- Dielectric

HEARING PROTECTION



263-V1FB
V1 Full Brim Mounted Ear Muff
- NRR Rating: 23
- Adjustable length



263-V2FB
V2 Full Brim Mounted Ear Muff
- NRR Rating: 25
- Adjustable length



263-V3FB
V3 Full Brim Mounted Ear Muff
- NRR Rating: 27
- Adjustable length

FACESHIELD ADAPTORS



251-EPB102
Dielectric Full Brim Bracket
- Plastic
- Swivels up



251-01-5270
Heat Resistant Full Brim Bracket
- Lightweight aluminum
- Swivels up

FACE PROTECTION



251-01-5201
Polycarbonate Clear Visor - Flat
- Suitable for high heat, impact resistance

251-01-7401
Polycarbonate Clear Visor - Molded
- Suitable for high heat, impact resistance



251-EP816PFG40
Polycarbonate Green Visor
- Helps lessen eye strain



251-01-7701
Steel Wire Mesh Visor
- Ideal for forestry and lumber

LIMITED WARRANTY AND DISCLAIMER OF IMPLIED WARRANTIES:
PIP, Inc. warrants only that PIP® products will be free from defects in materials and workmanship at the time of sale. Any claim not timely made shall be waived. *This limited warranty is exclusive and in lieu of all other warranties, express, implied or statutory.* The exclusive remedy shall be limited to replacement of the defective product or purchase price refund, at PIP's option. **All implied warranties which may arise by implication of law or application, course of dealing, usage of trade, including, but not limited to, implied warranties of merchantability, fitness for a particular purpose, title, and non-infringement are expressly excluded.**

PIP GLOBAL SAFETY

PROTECTIVE INDUSTRIAL PRODUCTS, INC.
(800) 262-5755 | www.pipusa.com

Rubber Insulating Gloves



▲150-0-11
STRAIGHT CUFF



▲147-00-11
STRAIGHT CUFF



▲150-2-14
STRAIGHT CUFF



▲170-0-14
STRAIGHT CUFF



▲154-2-16
BELL CUFF



▲162-4-18
CONTOUR CUFF

NOVAX® Straight Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
147-00-11	00	Orange	11"	7 - 12
150-00-11	00	Black	11"	7 - 12
153-00-11	00	Red	11"	7 - 12
170-00-11	00	Yellow	11"	7 - 12
150-00-14	00	Black	14"	7 - 12
170-00-14	00	Yellow	14"	7 - 12
147-0-11	0	Orange	11"	7 - 12
150-0-11	0	Black	11"	7 - 12
153-0-11	0	Red	11"	8 - 12
155-0-11	0	Black/Orange	11"	7 - 12
170-0-11	0	Yellow	11"	7 - 12
150-0-14	0	Black	14"	7 - 12
170-0-14	0	Yellow	14"	7 - 12
147-1-14	1	Orange	14"	7 - 12
150-1-14	1	Black	14"	7 - 12
153-1-14	1	Red	14"	7 - 12

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
155-1-14	1	Black/Orange	14"	7 - 12
147-2-14	2	Orange	14"	7 - 12
150-2-14	2	Black	14"	7 - 12
152-2-14	2	Black/Yellow	14"	7 - 12
153-2-14	2	Red	14"	7 - 12
155-2-14	2	Black/Orange	14"	7 - 12
156-2-14	2	Black/Red	14"	7 - 12
170-2-14	2	Yellow	14"	7 - 12
152-2-16	2	Black/Yellow	16"	8 - 12
155-2-16	2	Black/Orange	16"	8 - 12
152-2-18	2	Black/Yellow	18"	8 - 12
155-2-18	2	Black/Orange	18"	8 - 12
155-3-16	3	Black/Orange	16"	8 - 12
155-3-18	3	Black/Orange	18"	9 - 12
155-4-16	4	Black/Orange	16"	9 - 12
155-4-18	4	Black/Orange	18"	9 - 12

NOVAX® Bell Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
154-2-16	2	Black/Yellow	16"	8 - 12
159-2-16	2	Black/Orange	16"	9 - 12
161-2-16	2	Black/Red	16"	8 - 12
154-2-18	2	Black/Yellow	18"	8 - 12
159-2-18	2	Black/Orange	18"	9 - 12
161-2-18	2	Black/Red	18"	8 - 12
154-3-16	3	Black/Yellow	16"	8 - 12
159-3-16	3	Black/Orange	16"	9 - 12
161-3-16	3	Black/Red	16"	9 - 11
159-3-18	3	Black/Orange	18"	9 - 12
154-4-16	4	Black/Yellow	16"	9 - 11
159-4-16	4	Black/Orange	16"	9 - 12
161-4-16	4	Black/Red	16"	9 - 11
159-4-18	4	Black/Orange	18"	9 - 12

NOVAX® Contour Cuff

STYLE NUMBER	CLASS	COLOR	LENGTH	SIZES
151-2-18	2	Black/Yellow	18"	8 - 12
158-2-18	2	Black/Orange	18"	8 - 12
162-2-18	2	Black/Red	18"	8 - 12
151-3-18	3	Black/Yellow	18"	9 - 12
158-3-18	3	Black/Orange	18"	8 - 12
162-3-18	3	Black/Red	18"	9 - 12
151-4-18	4	Black/Yellow	18"	9 - 12
158-4-18	4	Black/Orange	18"	9 - 12
162-4-18	4	Black/Red	18"	9 - 11

STRONG, FLEXIBLE, DURABLE AND DIELECTRIC

Labeling

CLASS COLOR	NOVAX® GLOVE LABEL	TEST AC VOLTS	USE AC VOLTS	USE DC VOLTS
CLASS 00	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM MADE IN MALAYSIA D120 CLASS 00 TYPE I MAX USE VOLT 500V AC	2,500	500	750
CLASS 0	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM MADE IN MALAYSIA D120 CLASS 0 TYPE II MAX USE VOLT 1000V AC	5,000	1,000	1,500
CLASS 1	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM MADE IN MALAYSIA D120 CLASS 1 TYPE I MAX USE VOLT 7500V AC	10,000	7,500	11,250
CLASS 2	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM MADE IN MALAYSIA D120 CLASS 2 TYPE II MAX USE VOLT 17000V AC	20,000	17,000	25,500
CLASS 3	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM MADE IN MALAYSIA D120 CLASS 3 TYPE II MAX USE VOLT 26500V AC	30,000	26,500	39,750
CLASS 4	10 NOVAX™ by G.B. INDUSTRIES ANSI / ASTM MADE IN MALAYSIA D120 CLASS 4 TYPE I MAX USE VOLT 36000V AC	40,000	36,000	54,000

Standards and Regulations

OSHA

29CFR part 1910 (Occupational Safety and Health Standards)

ASTM

ASTM D120-22 (Rubber Insulating Gloves)
ASTM F496-20 (In-Services Care of Insulating Gloves and Sleeves)
ASTM F696-06 (Leather Protectors for Rubber Insulating Gloves and Mittens)
ASTM F1236-19 (Visual Inspection of Electrical Protective Rubber Products)
ASTM D1051-19 (Rubber Insulating Sleeves)
ASTM D1048-20 (Rubber Insulating Blankets)

NFPA

National Electric Safety Code
NFPA 70E (Electrical Safety in the Workplace - General Workplaces)



MCR SAFETY

Checklite® CL1 Series Safety Glasses

CL110 (.725196) **Clear Coated** CL119 (.725199) **I/O Clear Mirror**
CL112 (.725197) **Grey Crews** CL110AF (.770773) **Anti-Fog Crews**

- Exclusive Duramass® scratch resistant coating
- Good for everyday use or a new visitor spec
- Filters 99.9% of harmful U.V. rays
- Lightweight glasses (22.9 grams) are good for long term wear



Bear Kat Safety Glasses

BK110 (.730467) **Clear** BK119 (.725484) **I/O Clear Mirror**
BK112 (.725400) **Gray** BK110AF (.706264) **Clear Anti-Fog**

- Non-Slip soft temple material
- Scratch resistant coating
- Integral side shields for unobstructed view
- Rugged polycarbonate lens filters 99.9% of harmful U.V. rays





BK112 (.725400)

Grey Nitrile Foam Coated NXG Glove

9673S (.732080) **Small**
9673M (.729890) **Medium**
9673L (.729891) **Large**
9673XL (.732048) **Extra-Large**

- 13 Gauge Gray Nylon Shell
- Black Nitrile Foam Palm and Fingers
- Cool and Comfortable
- Knit Wrist





Red Ninja Flex Glove

N9680M (.738346) **Medium**
N9680L (.770118) **Large**
N9680XL (.726456) **Extra-Large**



- 15 Gauge red nylon shell
- Component materials comply with all relevant federal regulations for food contact
- Gray latex coated palm and fingertips
- Latex coating provides outstanding gripping power

Ninja Ice® Insulated Work Gloves

N9690S (.793843) **Small** N9690XL (.757499) **Extra Large**
N9690M (.812456) **Medium** N9690XXL (.850684) **XXL**
N9690L (.758961) **Large**



- Acrylic terry liner for insulation and warmth
- Coating remains soft in temperatures as low as -4°F
- The porous HPT coating w/ Anti-Wet treatment repels liquid for a firm grip in wet or dry conditions




MORSE®

CUTTING SOLUTIONS
FOR EVERY APPLICATION

BI-METAL
BAND SAW BLADES

Challenger® delivers long life and straight cuts with reduced vibration and noise when cutting structural material.



Features:

- For structural cutting of bundles, I-beams, interrupted cuts, low alloy steels, carbon steels
- Designed to absorb repeated impact when cutting multi-walled parts
- Reduced chance of stripping teeth
- Wide kerf options available

CHALLENGER®

PORTABLE
BAND SAW BLADES

Designed for professionals who demand efficiency and precision, this new arbor is set to optimize your drilling tasks.



Features:

- 4 high-performance tooth options
- Improved organization for easy selection
- Simpler SKU options, same quality performance



RECIPROCATING
SAW BLADES

It is now quicker than ever to choose the right recip for your job.

Know your application, pick your blade, start cutting!



Features:

- Simplified inventory for quicker, easier blade selection
- Value- and performance-driven options
- Improved pricing with the same application coverage

METAL CUTTING
CIRCULAR SAW BLADES

Cut through steel, stainless steel, aluminum, and other tough materials faster than ever with unrivaled blade life, cutting speed, and surface finish.



Features:

- Thin kerf, positive rake blade creates less heat
- Optimized tip geometry
- Hand-fed and chop saw sizes available
- Made from premium grade materials

MORSE METAL DEVIL ALUMINUM

LEARN MORE AT MKMORSE.COM

THE ANSWER
to all your metalworking needs!

freud DIABLO

9pc Concrete Anchor Installation Set

DMAPL9910-S9 (.1081602)



- Withstand impact and high heat applications, dramatically extending life versus standard hammer bits
- Magnetic nut setters and drive bit holder includes a permanent magnet to eliminate wobbling by securely gripping screws and hex nuts

5pc Universal Fit Oscillating Blade Set

DOU5S (.998874)



- High performance carbide and bi-metal blades for greater durability, life and quality of cut
- Includes (1) DOU125BW 1-¼" bi-metal blade for nail-embedded wood


5pc Magnetic Nutsetter Set

DNTSL-S5 (.1000846)



- Assorted pack includes five magnetic nut setters: ¼", 5⁄16", ⅜", 7⁄16", and ½"
- Extreme durability and impact resistance in driving hex nuts and self-tapping screws
- Permanent magnet eliminates wobbling by securely gripping screws and hex nuts

SDS+ & SDS Max Rebar Demon Series Hammer Drill Bits



- Up to 7X longer life versus standard 2-cutter hammer drill bits
- Diablo made Dura-Carbide™ features up to 2X more carbide that withstands up to 1800°F of intense heat to combat rebar hits versus standard bits that fail at 800°F
- Impact resistant 4-cutter full carbide head extracts smaller bites of rebar for controlled carbide wear

CALL FOR SIZES & PRICING!

Steel Demon Circ. Saw Blade



- Cuts both metal and stainless steel
- Laser cut blade body
- Anti-vibration technology
- Cermet teeth provide high heat tolerance and increased hardness
- Ideal for studs and tubing; plates and bars; rods; channels; angle iron; pipes and tubes; EMT conduit; and threaded rod

Catalog /Item #	Diameter	Teeth
D0736CF (.907454)	7"	36
D0842CF (.848888)	8"	42
D1260CF (.891769)	12"	60
D1472CF(.891770)	14"	72"

NORSEMAN DRILL & TOOL

SE-3G Gold Step Reamer Set 3pc

83750 (.1028978)



- Sizes include: 5⁄16" – 1 1⁄16"
- Low temperature stress relief that enhances lubricity, reduces friction and increases toughness
- Quickly start, to enlarge and deburr holes in materials up to ½" thick
- Step reamers has five hole enlargements steps accurate hole enlargement

CR-4FS Car Reamer Set 4pc

12271 (.1028977)




- Premium High Speed Steel Car Reamer
  Fast Spiral 3-Flats on Shank
- Includes: ⅜", ½", ⅝", ¾" spiral flute reamer
- Reamers designed for enlarging previously formed or drilled holes

NORSEMAN
DRILL & TOOL

BR-10SQX Screw & Bolt Extractor Set 10pc

35491 (.1020865)



- Square Extractor Sizes: #1, #2, #3, #4, #5
- Drill Bits: 3⁄32”, 1⁄8”, 3⁄16”, 1⁄4”, 5⁄16”
- 135 Degree Split Point Prevents Walking
- M7 Steel, Machine Length, Left Handed Bits

29 Pc Ultra Cut Drill Bit Set Orange Case

46962 (.871299)



- 3⁄8” with flats on Shank
- Heavy-duty 135° split point drills
- Orange Ultra-dex bit case
- 29 Piece Jobber Length Drill Bit Set
- Three Flats Shank in Orange Case
- High Molybdenum Steel, Gold and Black Oxide. Made in the USA
- Norseman Drill & Tool 46962 Type 190-AQF Premium Ultra-Dex Bully
- Ideal for use with hand held drills with keyless chucks,

Vortex 175-VT 29pc Bit Set

22903 (.1025505)



- Drill sizes 1/16” - 1/2” by 64ths
- Reliable high-density plastic
- Self-centering; 3-flats on shank
- Enlarge existing holes
- Weatherproof, watertight & unbreakable
- Drill through sheet metal, hard steel, acrylics and brass

29pc Ultra Cut Drill Bit Set

46952 (.748444)



- 135 degree split point
- Ultra-dex bit case
- Jobber length type bits
- The flats on the shank give positive chuck grip
- Ideal for use with hand held drills with keyless chucks

CHAMPION
CUTTING TOOL CORP

Tap and Die Set ** NEW **

CS40P-A (.1096437)



- Cut Clean, Precise Threads In Metal
- Industrial Performance Set - UNC / UNF Sizes
- High Speed Steel Plug Taps, Hex Dies
- Ratcheting Style Wrench - Better Torque Control, Forward / Reverse Operations

29Pc Heavy Duty Twister Drill Set

TWISTER-XL28 (.857854)



- 1⁄16” - 1⁄2” x 64ths
- 135° self-centering split point
- Flatted shank for secure fit in keyless drill chucks
- The solution for drilling hard steel and stainless steel

VariBrute Magnetic Drill Press

AC42 (.1064139)



- 5 cutting operations - 1 mag drill
- Engineered for heavy duty use
- Cutter capacity: 1-1⁄2” diam x 2” depth
- Twist drill capacity: 1” - Tap capacity: 3⁄4”

SPECIAL ORDER ONLY!

CT7 Series Carbide Tipped Hole Cutters

CT7 **- Multiple Sizes**



- Drill fast, accurate holes through steel up to 1” inch depth
- Ultra-sharp tungsten carbide teeth cut quick, smooth, perfectly round holes
- Flatted shank for use in power drills and drill presses
- Sizes available: 9⁄16”, 5⁄8”, 11⁄16”, 3⁄4”, 13⁄16”, 7⁄8”, 15⁄16”, 1”, 1 1⁄16”, 1 1⁄8”, 1 3⁄16”, 1 1⁄4”, 1 5⁄16”, 1 3⁄8”, 1 7⁄16”, 1 1⁄2”, 1 9⁄16”, 1 5⁄8”. 1 11⁄16”, 1 3⁄4”, 1 13⁄16”, 1 7⁄8”, 1 15⁄16”, 2”, 2 1⁄8”, 2 1⁄4” 2 3⁄8”, 2 1⁄2” 2 9⁄16”, 2 5⁄8”, 2 3⁄4”, 2 7⁄8”, 3” 3 1⁄4”, 3 1⁄2”, 3 3⁄8”, 3 3⁄4”, 4”, 4 1⁄8”, 4 1⁄4”, 4 1⁄2”

8Pc Titanium Bar Kit

BK8P (.863746)



- Includes Sizes: SA5, SC3, SC5, SD5, SF3, SF5, SG3, SL4
- De-Bur Ferrous Metals - steel, stainless steel, titanium, cast iron
- TiN (titanium nitride) coated
- For use in rotary die grinder

KLEIN TOOLS®

Non-Marring Lightweight Gel Knee Pads

NEW PRODUCT

60849 (.1108678)



- Non-marring slip resistant rubber caps for enhanced stability and balance
- Gel and EVA foam cushions the knee
- Web and elastic straps secure kneepad for snug fit

SPECIAL ORDER ONLY!



32pc Tamperproof Bit Set

32525 (.773856)



- Includes 3/32-Inch, 7/64-Inch, 1/8-Inch, 9/64-Inch, 5/32-Inch, and 3/16-Inch Fraction Hex bits
- Durable PVC gray block allows for easy storage of tamperproof bits
- Block slides over most screwdriver shafts for easy bit access and storage

Tradesman Pro Tool Bag Backpack

55421BP-14 (.845524)



- Tool bag backpack features large opening for power tool organization, with 39 interior pockets for mobile hand tool storage
- Hard molded front pocket protects safety glasses
- Small zipper pouch for small parts and tools
- Fully molded bottom protects from the elements
- 39 pockets

Utility Borescope

ET17 (.1103581)



- Features compact 5.5mm water-resistant camera (IP67 for camera head and cable) with 720p resolution
- 4.3-Inch color LCD screen for clear viewing
- 10-Foot nylon snake navigates through twists, turns, and bends

Rechargeable Waterproof LED Pocket Light with Lanyard

56411 (.1084364)



- Features a durable 10-Foot drop rating and is both waterproof and dustproof
- Compact light has four modes: High at 275 lumens, Medium at 100 lumens, and all-day Eco setting and Strobe
- Comes with a removable lanyard to keep the light close by



ET17 (.1103581)

7pc Screwdriver Set w/Cushion Grip

85076 (.54076)



- A general-purpose selection of the most frequently used screwdriver tips and sizes
- Screwdriver Set includes three cabinet-tip, two Phillips-tip and two keystone-tip styles
- Cushion-Grip™ handle for greater torque and comfort and premium chrome-plated for smooth feel and corrosion resistance


85076 (.54076)

GREENLEE
A Textron Company

Circuit GFI Tester

GT-10GFI (.760080)



- Use to trouble shoot 120 V AC grounded outlets and test GFCI receptacles
- Designed to verify correct wiring of any standard three-wire 120 volt receptacle
- Light sequence indicates correct/incorrect wiring
- A light sequence will indicate correct/incorrect wiring during testing



FTXF-100 (.1020027)

7pc Drill/Tap Kit for Stainless Steel

DTAPSSKIT (.1020048)



- Split-point tip resists walking and penetrates material faster
- Titanium Nitride coating ensures that the bits run cooler, drill faster, and last longer
- Designed to drill in up to ¼" thick material

Reel-X 100' Fiberglass Fish Tape

FTXF-100 (.1020027)



- Free-spinning interior reel for faster fishing
- Utilize secondary exit and set case on the ground to free-up both hands for fishing
- Anti-Bind Design
- Quick-Change replacement reels
- Fatigue/Strain reducing ergonomic case design

BURNDY®

Patriot 15 Ton C-Head 18v Battery Crimping Tool Kit

PAT46LWSLI (.931132)



- 2" jaw opening
- Used with P dies
- U dies with PUADP1 adapter (sold separately)
- Has a 355° head rotation
- Compliant connections when used with the BURNDY® Engineered System
- Overmolded, ergonomic handle ensures improved balance during operation.

PATRIOT® 11 Ton Dieless Latch Head 18V Battery Crimping Tool Kit

PAT644LI (.911902)



- Dieless System with range taking capability
- #4 AWG -1000 kcmil Copper and Aluminium, #4 AWG - 556.5 kcmil ACSR, AAC, AAAC, ACAR
- 355° Rotatable latch head

PATRIOT® 12 Ton C-Head 18V Battery Crimping Tool Kit

PAT750LI (.781808)



- 1.65" jaw opening
- 355° head rotation
- Uses U dies
- Accepts 2.0Ah-6.0Ah Makita Lithium-ion Batteries
- Ergonomic design and overmolded handle for comfort grip
- Patented T-Track alignment guide for HYGROUND® as well as other asymmetrical connectors



BASH Sledge Hammer

WL9-20212 (.837117) **2 ½ lb**
WL9-20416 (.806152) **4 lb**
WL9-20624 (.777386) **6 lb**
WL9-20830 (.777387) **8 lb**
WL9-21036 (.797165) **10 lb**
WL9-21236 (.797169) **12 lb**
WL9-21436 (.818590) **14 lb**



- Duty rating of 375lb
- Features a LOCKTOP® which provides maximum storage capacity for most frequently used tools
- The LOCKTOP® features an impact driver slot to safely hold the most used tools
- Steel plate on the side helps expand storage on the ladder top by allowing the use of magnetic accessories



Classic C-Clamp

14214 (.832368) **2”**
14228 (.832369) **3”**
14242 (.832370) **4”**
14256 (.801432) **6”**
14270 (.801434) **8”**



- Drop-forged frame is manufactured for greater strength in standard applications
- ACME-rolled spindle provides continuous smooth operation for faster clamping action and maximum strength
- V-grooved anvil allows secure holding of all materials including rounds, squares, and flats
- Black oxide coated spindles and Perma-pads resist corrosion, and are replaceable

5” Utility Bench Vise

WL9-28819 (.117632)



- Features a 30,000 PSI gray cast iron body
- Equipped with a movable jaw with a 60,000 PSI ductile iron base
- Includes a large anvil, built-in pipe jaws and a 360 degree locking swivel base
- Dual lock-downs and 4 mounting posts ensure maximum stability while in use







Pallet Jack

161009 (.809244)



- Turning Radius: 180 degrees
- Capacity: 5,000 pounds
- 2-1/2 inch low profile allows for easy engagement of pallets
- Welded all-steel frame and powder coat finish provide maximum durability and protection
- Easy-to-use fingertip controls permit single handed operation

Spark Duty Hi-Viz C-Clamp

WL9-20481 (.832351) **3”**
WL9-20483 (.796436) **4”**
WL9-20485(.832354) **8”**
WL9-20486 (.832355) **10”**



- Ideal for steel fabrication and industrial welding
- Boasts a drop forged construction, an ACME rolled, copper plated spindle and conform to OSHA safety color standards for physical hazards regulation# 1910.144
- Equipped with an oscillating head with a high quality steel pad built to last and provides firm gripping action on angular surfaces.

F-Clamp

86210 (.832503) **12”**
86220 (.829101) **18”**



- A simple, no-frills construction means it simply gets the job done
- Regular-Duty F-Clamps feature a clamping force of 1800 lbs
- Black Oxide spindle resists wear and tear while impeding rust
- Drop forged arm provides minimal flex under heavy work loads
- Swivel pad centers on workpiece for a sturdy hold

Vise Grip 4pc Pro Pliers Set



2078707 (.845080)

- Constructed from durable nickel chromium steel
- Machined jaws for maximum gripping strength
- Anti-pinch, non-slip ProTouch Grips provide comfort, control, and less hand fatigue
- Includes 6-inch diagonal and slip-joint, 8-inch long nose, and 10-inch groove joint pliers


Vise-Grip Strait-Jaw locking Plier



302L3 (.51421) **7”**
102L3 (.53179) **10”**

- Hex key adjusting screw
- Ideal for tightening, clamping, twisting and turning; Classic trigger release provides maximum locking force
- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability
- Adjust pressure and work fit with turn screw that stays adjusted for repetitive use

Magnetic I-Beam Level



1801091 (.795940) **24”**
1801095 (.795942) **48”**

- Rigid aluminium I-Beam construction
- Rotating angle vial
- Large, easy to read vials
- Large handle for easy gripping and holding with or without gloves

Retractable Safety Knife



2088600 (.810679)


- Self-retracting spring action returns blade safely into the housing when not in use
- Interlocking nose reduces blade wobble
- Ergonomic grip fits comfortably in the hand
- Tool-free blade changes

Strait-Line Speedline Chalk Reel



48442 (.22368)

- 100 ft. abrasion-resistant poly line provides 5-6 strikes per pull
- 3:1 gear ratio rewinds the line 3X faster than traditional 1:1 chalk reels
- Slim design for improved grip and comfort



10CR (.53259)

Vise-Grip Curved-Jaw locking Plier



7CR (.51500) **7”**
10CR (.53259) **10”**

- Self-energizing lower jaw provides 3X more gripping power than traditional locking pliers, with no slipping or stripping.
- Provides maximum torque without requiring heavy input pressure jaw mechanism naturally grips tighter as more torque is applied to the tool.
- Classic trigger release provides maximum locking force.

Carbon Utility Knife Blade 100pk



2083200 (.785628)

- Package Dimensions: 0.51 H x 20.32 L x 9.65 W (centimeters)
- Replacement Blades
- Package Weight: 430.92 grams



2088600 (.810679)

LINCOLN
An SKF Group Brand

Lever Style Grease Gun

1142 (.50294)



- Delivers consistent lubrication with it is precision machined plunger and heavy-duty follower spring
- Ideal for high-pressure applications in automotive, industrial, and agricultural settings
- Featuring a cast pump head and premium dual lip follower
- Equipped with a jam-proof toggle mechanism
- The rigid extension offers precise application, making it easy to lubricate hard-to-reach areas such as CV joints, suspension systems, and industrial machinery



1142 (.50294)

Pistol Style Grease Gun

1133 (.460987)



- Delivers up to 6,000 PSI
- Ergonomic pistol grip design allows for easy, single-handed use
- Compatible with standard grease cartridges
- Features a jam-proof toggle mechanism, a dual-lip follower, and a heavy-duty cast pump head for reliable performance and long-lasting durability

CHAPIN
COVER MORE GROUND

1gal Poly Lawn & Garden Sprayer

2000 (.782124)



- 12-inch spray wand, 34-inch spray hose, adjustable poly nozzle
- Use with standard fertilizers, weed and pest control chemicals
- Anti-clog filter in the tank to keep debris from plugging the hose

3gal Surespray Select Sprayer

27030 (.776429)



- Compatible with common fertilizers, weed killers and pesticides
- Features unique SureSpray™ Anti-Clog Filter for clog-free spraying

3.5gal Industrial Concrete Sprayer

1949 (.24573)



- Chemical-resistant seals
- Tri-Poxy tank - triple protection against rust, corrosion, and damage from dents
- 4-inch wide mouth opening for easy filling

PROTO

10pc Hex Bit Impact Socket Set

J52110HIM (.1025231)



- Ultra thin design fits inside 2” drawer
- Removable lid allows easy access to tools
- IP54 Rated keeps out water and dust
- The premium corner lable quickly identifies contents
- Two tone case colors highlights safety red and differentiates versus the market
- Made in USA

15pc Combo-Wrench Set

J1200FASD (.426497)



- Allows the attachment of a tether where the tether is attached to the user or a fixed object to prevent the wrench from falling and causing injuries or damage when working at height
- 12-pt. box end with additional grooves that make it easier to connect with the head of the fastener and connect at more angles
- Open end design that allows top and side access to the fastener compared to the box end that can only access a fastener from the top

PROTO

5pc Screw Extractor Set

J9500A (.226166)

- Drive into end of broken pipe or fitting
- Use tap holder or wrench on extractor to turn out broken part
- Size stamped on extractor refers to drill bit size to be used with that extractor.



7pc Cold Chisel Set

J86B (.139155)

- Applies more torque to fastener
- High strength, thin wall design
- Reduces risk of fastener rounding
- Side lock hole



WRIGHT TOOL®

10pc Screwdriver Set

9476 (.801277)

- Set Includes: (4) Phillips, (3) Slotted, (2) Cabinet Tipped, (1) SQ. Shank Slotted
- Blue-handled screwdrivers available singly or in sets. Sets come in a denim pouch with a clear vinyl front.
- Variety of blade lengths, tip sizes and types - Phillips, Cabinet and Slotted. Precision-Machined tips. CNC-machined to close tolerances, exceeding industry standards, and delivering reliable fastener engagement.



14pc Deep Impact Socket Set 6pt

407 (.823577)



- Patented Wright Drive® distributes contact over a larger surface area for greater gripping power and strength
- Forged and Machined for Best Fit and Unyielding Strength
- Precision Heat-Treated and Tempered for optimal Hardness, Ductility and Durability
- Easy to read stamp pattern in order to quickly determine opening size
- Provides more torque with less fastener damage
- Meets and exceeds ASME B107 hand tool standards
- Made in the USA. Designed, Engineered and Manufactured in Barberton, OH

Cougar Pro 13pc ⅜”drive 12pt Socket Set

A31 (.825651)



- Set Includes: (1) 3/8” Socket, (1) 7/16” Socket, 1/2” Socket, (1) 9/16” Socket, (1) 5/8” Socket, 11/16” Socket, (1) 3/4” Socket, (1) 7/8” Socket, (1) 5/8” Sparkplug Socket, (1) Ratchet, (1) 3” Extension, (1) 6” Extension, (1) Box
- Designed for construction, maintenance and assembly work with rugged tradesmen in mind who require professional-grade hand tools at an affordable price

15pc Combo-Wrench Set

715 (.776676)



- Patented WrightGrip® technology provides unparalleled tool-to-fastener contact resulting in a superior anti-slip combination wrench.
- Forged and Machined for Best Fit and Unyielding Strength
- Precision Heat-Treated and tempered for optimal hardness, ductility and durability
- Meets and exceeds ASME B107 hand tool standards


715 (.776676)

OUR OTHER SERVICES

TOOL REPAIR AND RIGGING SERVICES







LIFTING & RIGGING

American Producers custom builds chain and wire rope slings, and provides inspection, repair and certification of chain, web and wire slings.

Rigging Services offered, by Huntington Branch:

- Custom made wire rope and chain slings
- Custom lifting device and wire rope inspection
- Nylon / Polyester inspection
- Chain and wire mesh sling inspection
- Educational seminars on the care, use and inspection of chain slings, wire rope, wire mesh slings and round slings
- Visual inspection of under hook lifting devices
- Load testing of chain, wire rope, and Nylon / Polyester slings
- Particle die testing series
- Visual inspection of hoist and pullers load testing of hoist and pullers

PROFESSIONAL TOOL REPAIR

American Producers Supply offers repair services for a variety of tools and equipment at our locations in Marietta, Huntington and Wixom. We can repair most professional brands of power tools. We also can do warranty work on tools for which we are an authorized repair center. **Our capabilities include:**

HYDRAULIC & PNEUMATIC TOOLS

At American Producers, **we are an authorized Enerpac Service Center.** We repair hydraulic and pneumatic tools from a range of different brands, including, Enerpac, Ingersoll Rand, Chicago Pneumatic, and Power Team.

HOISTS & PULLERS

We are capable of repairing, load testing, and certifying electric hoists, chain hoists, and pullers

WE ARE AN AUTHORIZED REPAIR CENTER FOR:

- DeWalt
- Milwaukee
- Stihl
- CM Hoists
- Enerpac
- Metabo
- Champion Mag Drills
- Honda Power Equipment
- Husqvarna Construction Products
- And more...

DONT MISS OUT ON THESE

CLOSEOUTS!



SKIL

7¼" Circular Saw 15amp

5280-01 (.1014552)

- Powerful 15-amp motor delivers 5 300-RPM for greater speed and faster cuts
- 7-1 4-inch carbide-tipped blade included
- Spindle lock for easy blade changes
- 51° bevel capacity with a positive stop at 45° for a wide variety of cuts
- Dust blower keeps line-of-cut free of sawdust for improved visibility
- Safety lock/guarded trigger and power-on indicator minimize accidental starts

$59.99



WERNER

24' Aluminum 3-Section Extension Ladder

D1224-3 (.838498)

- 3 section ladder that has a duty rating of 225 pounds and interlocking side rails
- The Traction-Tred® D rungs are slip-resistant and the spring-loaded locks operate smoothly for easy operation



DEWALT

20V Max ¼" Impact Driver w/Powerstack Kit

DCF887D1E1 (.1060210)

- Includes: (1) DCF887 20V MAX* XR® 1/4-in 3-Speed Impact Driver; (1) DCBP034 20V MAX* XR POWERSTACK™ Compact Battery; (1) DCB203 20V MAX* 2Ah Battery; (1) Belt Hook; (1) Charger; (1) Kit Bag



3M | Strategic Distributor Industrial and Safety Solutions

Python Tape Measure Sleeve & Holster

1500100 (.883067)

- Various holster options
- Compatible with 3M™ DBI-SALA® and Protecta® Harnesses



metabo

18V Brushless Drill / Driver Kit

BS18LTX (.869589)

- Includes (2) 5.5 Ah LiHD battery packs, ASC 145 Charger, Futuro Top quick-change chuck, belt hook, bit holder, and metaBox 145 L



Honeywell

Perfect-Fit Poly Glove

WE300-L (.740585) Large
WE300-XL (.740586) Extra-Large

- Hppe based yarn provides ansi cut level 3 and En388 cut level 5 performance
- Thin but tough pu coating provides En388 level 4 abrasion resistance



GENERAC®



Generac Automatic Standby Generator

Revolutionizing the 21st century electrical grid.



Generac Portable Generator



Improve energy resilience and independence

Optimize energy efficiency and consumption

Protect and build critical infrastructure

Generac Portable Generator

Marietta, OH
119 Second St
(740) 373-5050

Cincinnati, OH
10770 Kenwood Rd
(513) 791-4252

Columbus, OH
590 N. Hague Ave
(614) 272-1113

Lancaster, OH
1806 Victor Rd
(740) 654-3711

Portsmouth, OH
1763 10th St
(740) 354-3479

Sunbury, OH
6914 St. Rt. 37E
(740) 362-7249

Ferdinand, IN
2130 Industrial Park Rd
(812) 998-2130

Glasgow, KY
129 Beaver Trail
(270) 861-0060

Louisville, KY
520 South 15th St
(502) 583-3875

Pittsburgh, PA
7724 Edgewood Ave
(412) 220-2370

Wixom, MI
30270 Beck Rd
(248) 669-4040

Huntington, WV
333 Washington Ave
(304) 525-3545

Martinsburg, WV
36 Variform Dr
(304) 263-3364

St. Albans, WV
2822 Winfield Rd
(304) 755-0009